Message

From: Gallo, Patty (CONTR) [Patty.Gallo@lm.doe.gov]

Sent: 2/2/2017 4:42:03 PM

To: 'Spreng - CDPHE, Carl' [carl.spreng@state.co.us]

CC: Moritz, Vera [Moritz.Vera@epa.gov]; lindsay.masters@state.co.us; Ward, David (CONTR) [David.Ward@lm.doe.gov];

Kaiser, Linda (CONTR) [Linda.Kaiser@lm.doe.gov]; Murl, Jeffrey [Jeffrey.Murl@lm.doe.gov]; Surovchak, Scott

[Scott.Surovchak@lm.doe.gov]; Cummins, Laura (CONTR) [Laura.Cummins@lm.doe.gov]

Subject: RE: Risk assessment evaluation for chemical constituents

Attachments: removed.txt

Great - thank you Carl. I will make sure that our radiological SME gets the spreadsheet.



Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management
11025 Dover Street, Unit 1000
Westminster, CO 80021
720-377-9684
patty.gallo@lm.doe.gov

c	deliberary marks happy to be	eq box has more, many, artificit. The	 	
1				
1				
_				

From: Spreng - CDPHE, Carl [mailto:carl.spreng@state.co.us]

Sent: Thursday, February 02, 2017 9:30 AM

To: Gallo, Patty (CONTR)

Cc: Moritz, Vera (Moritz. Vera@epa.gov); lindsay.masters@state.co.us; Ward, David (CONTR); Kaiser, Linda (CONTR);

Murl, Jeffrey; Surovchak, Scott; Cummins, Laura (CONTR)

Subject: Re: Risk assessment evaluation for chemical constituents

Patty,

Lindsay has thoughts on the ARARs list, which she's reviewed with Dan Miller in the AG's Office.

The spreadsheet developed by Syracuse Research to calculate PRGs back in 2002 is attached.

See you Tuesday.

Carl

Carl Spreng

Corrective Action Unit

P 303.692.3358 F 303.759.5355 C 303-328-7289 4300 Cherry Creek Drive S, Denver, CO 80246-1530 carl.spreng@state.co.us
On Wed, Feb 1, 2017 at 6:27 PM, Gallo, Patty (CONTR) < Patty. Gallo@lm.doe.gov > wrote: All:
Please find attached two files that contain the risk assessment evaluation for chemical constituents for the Rocky Flats FYR report. The content of these files will be discussed at the upcoming FYR Team meeting on Feb. 7 th . Please review for content only as these files have not been tech edited. Note that the files do not contain text regarding the radiological portion of the FYR risk assessment evaluation.
The first file contains the chemical portion of the answer to Question B in the main body of the report. The first file also contains a table (Table 4) that presents the RAO status, which provides a summary of the data considered in answering Question A of the report. The second file contains the chemical portion of the Risk Assessment appendix to the FYR report.
I will send out a final agenda for our meeting next week on Monday. I am hoping we can discuss any comments EPA and CDPHE may have on the ARARs table provided at the December meeting (also attached) at our Tuesday meeting as well.
Many thanks.
Paity
Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management

720-377-9684			
patty.gallo@lm.doe.gov			
Combiner may could be deployed. The distribution and country collected and the distribution distribution in a contract of the distribution of the			

11025 Dover Street, Unit 1000

Westminster, CO 80021